



# **Big Ideas Inspire Grand Results**

1998 marked the launch of Valor's Horizon Series family. A heater-rated, efficient fireplace that is suitable for both new construction and gas insert applications.

Continual advancements in heat technology and product ingenuity have seen the Horizon Series grow and diversify through multiple models and accessories. The contemporary four-sided H4 Series and larger H5 Series being examples of this success.

Now, expanding upon the Horizon family legacy we proudly introduce the Valor H6 Series.

In essence, the H6 has evolved from different elements within the Horizon Series family. Structured as a large format fireplace, the H6 is inspired by features that are proven in the field.

Although large in presence, the firebox design features tapered sides and shallow depth for smooth installation in a variety of applications.


An impressive secondary heat exchanger circulates warm air naturally through convection. As well, custom fire beds are designed to project this radiant warmth to objects in your living space creating a steady, even heat.

A choice of unique fire beds include the traditional log set, coastal driftwood, decorative glass and Murano reflective glass media. Complementary liners include the choice of Valor red brick, ledgestone, flat black, fluted black and reflective glass kits.

Framed beautifully against any wall surface, the H6 includes a collection of highgrade steel powder coated trims in both three and four sided configurations.

Usability is a key factor when maximizing the heat performance in your home. Recognizing that the H6 harnesses all facets of warmth management with the Valor Comfort Control remote. Convenient, reliable and easy to use features help program direct warmth - where you want it, when you want.

The concept was simple, construct a large format gas fireplace designed for efficient zone heating; something that has been missing in the industry to date. The result, a grand fireplace that sets new standards in effective heating and visual warmth built to stand the test of time.





H6 with 1400DWK Driftwood Fire, 1425FBL Fluted Black Liner & 1440FSB 4" 4-Sided Trim Kit in Black powder coat paint



H6 with 1400DGM Murano Glass Fire, 1460PBL Plain Black Liner with 1405RGP Reflective Glass Panel & 1430FFK 1" Fixed Framing Kit in Black powder coat paint



H6 with 1400LSK Log Set Fire, 1415LSL Ledgestone Liner & 1440FSZ 4" 4-Sided Trim Kit in Bronze powder coat paint





H6 with 1400DGS Decorative Glass Fire, 1470RGL Reflective Glass Liner & 1430FFK 1" Fixed Framing Kit in Black powder coat paint



H6 with 1400LSK Log Set Fire, 1410VRL Valor Red Brick Liner & 1435TSB 3-1/4" 3-Sided Trim Kit in Black powder coat paint



H6 with 1400DGM Murano Glass Fire, 1425FBL Fluted Black Liner & 1440FSB 4" 4-Sided Trim Kit in Black powder coat paint

## H6 SERIES FIREPLACE COMPONENTS - LARGE FORMAT VALOR ZC

ENGINES	1400IN	Direct Vent H6 Series Engine NG	
	1400IP	Direct Vent H6 Series Engine LPG	
FUEL BEDS	1400DGS	Decorative Glass Fire	
	1400DGM	Murano Glass Fire	
	1400DWK	Driftwood Fire	
	1400LSK	Log Set Fire	
LINERS	1410VRL	Valor Red Brick Liner	
	1415LSL	Ledgestone Liner	
	1425FBL	Fluted Black Liner	
	1460PBL	Plain Black Liner	
	1470RGL	Reflective Glass Liner	
SURROUNDS	1430FFK	1" Fixed Framing Kit - Black (39"h X 45-5/8"w)	
	1435TSB	3-1/4" 3-Sided Trim Kit - Black (36-3/4"h X 46-1/4"w)	
	1440FSB	4" 4-Sided Trim Kit - Black (38-7/8"h X 47-5/8"w)	
	1440FSZ	4" 4-Sided Trim Kit - Bronze (38-7/8"h X 47-5/8"w)	
ACCESSORIES	1156CLA	Colinear Adaptor Kit	
	1195CFK	Circulating Fan Kit	
	1270RBK	Remote Blower Kit	
	1405RGP	Reflective Glass Panel - for use with 1425FBL & 1460PBL	
	GV60PAK	Power Adaptor Kit	
	1265WSK	Wall Switch Kit	
	1506DRK	Decorative Rock Kit (optional accessory)	

# **H6 HEAT PERFORMANCE & EFFICIENCY RATINGS**

## MODEL/FUEL

Model	Fuel	Max. Input BTU/hr	Min. Input BTU/hr	EnerGuide Rating*	Max. Output* (w/out fan) BTU/hr
1400IN	NG	36,000	19,000	71%	26,928
1400IP	LPG	30,000	15,000	74%	22,990

Certified to ANST 721.88-2014/ CSA 2.33-2014 Vented Gas Fireplace Heater American National Standard CGA - 2.17-91 Gas Fired Appliances for use at High Altitudes


Please Note: All product information is accurate at time of printing and is subject to change. Printed images may vary from actual product. Refer to the H6 Series engine manual (1400IN) for product installation. For more images, video and product information visit valorfireplaces.com


- **VENTING SPECS** Requires 24" vertical rise before horizontal termination
  - Total length of vent pipe cannot exceed 40 feet
  - Maximum of 4 x 90 degrees elbows or equivalent


(2 x 45 degrees = 90 degrees)

## **H6 DIMENSIONS**

Window Dimensions - 25-1/2"(h) x 36-1/8"(w) Framing Specs - 48"(h) x 44"(w) x 20"(d)

















# Valor SMARTFIRE SYSTEM

LUXURY. EFFICIENCY. QUALITY. CONVENIENCE. HEAT.



## **VALOR COMFORT CONTROL**

Standard with purchase, the Valor Comfort Control manages your heating needs with convenience, reliability and simplicity. Valor's touch button handset ignites the pilot with ease, adjusts flame levels as desired and has programmable options including room temperature control. Eco-friendly in design, your pilot light will automatically turn off if inactive for over 5 days, saving energy (especially in summer months) and lowering overall home heating costs.



## THE COMFORT ZONE

Pumping forced heat through your entire home is often inefficient, especially in the early Fall and Spring. Targeting specific areas that you frequent the most is more economical and efficient in the long run. Zone heating with a Valor requires no ducting or forced air, delivering the perfect blend of radiant and convective warmth - where you want it, when you want.



## RADIANT WARMTH

Like heat from the sun, Valor fireplaces distribute radiant warmth directly to your living space. Radiant heat satisfies human comfort needs, using up to 25% less energy compared to traditional forced air systems. Valor warmth efficiently replaces the chill from cold windows and doors, providing steady, even heat to objects in the room. Backed with a powerful secondary heat exchanger that circulates warm air through convection, the H6 is an energy efficient, heater-rated fireplace.



## HEAT DURING A POWER FAILURE - NO POWER, NO PROBLEM™

If the power fails in the winter your home can get cold fast. Valor fireplaces are fully functional heaters that don't use electricity. Our fireplaces provide the perfect mixture of radiant and convective heat reducing the need for a fan. No power, no problem with Valor.



## **BURN CLEAN. ENGINEERED GREEN**

Natural gas is the cleanest fireplace fuel you can burn, with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in the design of cost effective, heat solutions for your home.




## FIREPLACE SAFETY - USE RADIANT HEAT SAFELY

Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house.

Included with your purchase, a Valor barrier screen is recommended at all times. Install an approved aftermarket safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace.

For more information please visit www.valorfireplaces.com/safety.

<sup>\*</sup> EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-09 test method







Your Authorized Valor Dealer BRH616E - Feb. 2016